Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7778	sectional near image$1 or volume near image$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 08:53
L2	3303	1 and project$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 08:54
L3	84	2 and projection adj line$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 08:55
L4	75	3 and display$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 08:55
L5	24	4 and (read$3 and record$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 08:56
L6	23	5 and plane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 09:01
L7	11	6 and weight$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 09:01

Welcome to IEEE Xplore*

○ Home
○ What Can
   I Access?
○ Log-out

Tables of Contents

○ Journals
   & Magazines
○ Conference
   Proceedings
○ Standards

Search

○ By Author
○ Basic
○ Advanced
○ CrossRef

Member Services

○ Join IEEE
○ Establish IEEE
   Web Account
○ Access the
   IEEE Member
   Digital Library

IEEE Enterprise

○ Access the
   IEEE Enterprise
   File Cabinet

🖴 Print Format

Your search matched **26** of **1128145** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:
You may refine your search by editing the current search expression or enteri
new one in the text box.

| projection image* and (ct or mri) | [Search]

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine   **CNF** = Conference   **STD** = Standard

1 **Computed microtomography (/spl mu/CT) with unmonochromatize(
synchrotron X-rays for cancerous human breast tissue and mouse ver·**
*Haijo Jung; Hee-Joung Kim; Soonil Hong; Jin-O Hong; Ha-Kyu Jeong; Jung Hc
Bo-Ra Kim; Hyung-Sik Yoo;*
Nuclear Science, IEEE Transactions on , Volume: 49 , Issue: 5 , Oct. 2002
Pages:2262 - 2267

[Abstract]   [PDF Full-Text (662 KB)]   **IEEE JNL**

2 **An adaptive segmentation algorithm for time-of-flight MRA data**
Wilson, D.L.; Noble, J.A.;
Medical Imaging, IEEE Transactions on , Volume: 18 , Issue: 10 , Oct. 1999
Pages:938 - 945

[Abstract]   [PDF Full-Text (380 KB)]   **IEEE JNL**

3 **Image denoising based on multiscale singularity detection for cone
beam CT breast imaging**
Zhong, J.; Ning, R.; Conover, D.;
Medical Imaging, IEEE Transactions on , Volume: 23 , Issue: 6 , June 2004
Pages:696 - 703

[Abstract]   [PDF Full-Text (440 KB)]   **IEEE JNL**

4 **Registration and tracking to integrate X-ray and MR images in an XN
Facility**
*Rhode, K.S.; Hill, D.L.G.; Edwards, P.J.; Hipwell, J.; Rueckert, D.; Sanchez-Oi
G.; Hegde, S.; Rahunathan, V.; Razavi, R.;*
Medical Imaging, IEEE Transactions on , Volume: 22 , Issue: 11 , Nov. 2003
Pages:1369 - 1378

[Abstract]   [PDF Full-Text (3075 KB)]   IEEE JNL

5 **White and black blood volumetric angiographic filtering: ellipsoidal scale-space approach**
Suri, J.S.; Kecheng Liu; Reden, L.; Laxminarayan, S.N.;
Information Technology in Biomedicine, IEEE Transactions on , Volume: 6 , Is 2 , June 2002
Pages:142 - 158

[Abstract]   [PDF Full-Text (642 KB)]   IEEE JNL

6 **Image characteristics and effective dose estimation of a cone beam using a video-fluoroscopic system**
Endo, M.; Nishizawa, K.; Iwai, K.; Matsumoto, M.; Yoshida, K.; Satoh, K.; Matsusita, M.; Kusakabe, M.;
Nuclear Science, IEEE Transactions on , Volume: 46 , Issue: 3 , June 1999
Pages:686 - 690

[Abstract]   [PDF Full-Text (824 KB)]   IEEE JNL

7 **The importance of ray pathlengths when measuring objects in maxii intensity projection images**
Schreiner, S.; Dawant, B.M.; Paschal, C.B.; Galloway, R.L.;
Medical Imaging, IEEE Transactions on , Volume: 15 , Issue: 4 , Aug. 1996
Pages:568 - 579

[Abstract]   [PDF Full-Text (1780 KB)]   IEEE JNL

8 **Cone-beam computed tomography (CT) for a megavoltage linear accelerator (LINAC) using an electronic portal imaging device (EPID) the algebraic reconstruction technique (ART)**
Mueller, K.; Chang, J.; Arnols, H.; Ling, C.C.;
Engineering in Medicine and Biology Society, 2000. Proceedings of the 22nd A International Conference of the IEEE , Volume: 4 , 23-28 July 2000
Pages:2875 - 2878 vol.4

[Abstract]   [PDF Full-Text (316 KB)]   IEEE CNF

9 **A novel geometry for SPECT imaging associated with the EM-type bl deconvolution method**
Yi-Hwa Liu; Rangarajan, A.; Gagnon, D.; Therrien, M.; Sinusas, A.J.; Wackers F.J.T.; Zubal, I.G.;
Nuclear Science Symposium, 1997. IEEE , Volume: 2 , 9-15 Nov. 1997
Pages:1014 - 1017 vol.2

[Abstract]   [PDF Full-Text (428 KB)]   IEEE CNF

10 **An image reconstruction algorithm for time varying X-ray projectio image sequences**
Acharya, R.; Robb, R.; Wechsler, H.;
Acoustics, Speech, and Signal Processing, IEEE International Conference on ICASSP '84. , Volume: 9 , Mar 1984

Pages:483 - 486

[Abstract]   [PDF Full-Text (120 KB)]   **IEEE CNF**

---

11 **Automatic local effect of window/level on 3D scale-space ellipsoid filtering on run-off-arteries from white blood magnetic resonance angiography**
Suri, J.S.; Liu, K.; Singh, S.; Laxminarayan, S.;
Pattern Recognition, 2002. Proceedings. 16th International Conference on , Volume: 3 , 11-15 Aug. 2002
Pages:899 - 902 vol.3

[Abstract]   [PDF Full-Text (340 KB)]   **IEEE CNF**

---

12 **Computed microtomography (/spl mu/CT) with unmonochromatize synchrotron X-rays for cancerous human breast tissue and mouse ver**
Haijo Jung; Hee-Joung Kim; Soonil Hong; Jin-O Hong; Ha-Kyu Jeong; Jung Hc Bo-Ra Kim; Hyung-Sik Yoo;
Nuclear Science Symposium Conference Record, 2001 IEEE , Volume: 3 , 4-1(Nov. 2001
Pages:1673 - 1677 vol.3

[Abstract]   [PDF Full-Text (5086 KB)]   **IEEE CNF**

---

13 **A scalar function formulation for optical flow: applications to X-ray imaging**
Amini, A.A.;
Biomedical Image Analysis, 1994., Proceedings of the IEEE Workshop on , 24- June 1994
Pages:117 - 123

[Abstract]   [PDF Full-Text (564 KB)]   **IEEE CNF**

---

14 **Experience with a computerized stereoscopic workstation for neurosurgical planning**
Henri, C.J.; Peters, T.M.; Lemieux, L.; Olivier, A.;
Visualization in Biomedical Computing, 1990., Proceedings of the First Confere on , 22-25 May 1990
Pages:450 - 457

[Abstract]   [PDF Full-Text (672 KB)]   **IEEE CNF**

---

15 **A frameless stereotaxic operating microscope for neurosurgery**
Friets, E.M.; Strohbehn, J.W.; Hatch, J.F.; Roberts, D.W.;
Biomedical Engineering, IEEE Transactions on , Volume: 36 , Issue: 6 , June 1
Pages:608 - 617

[Abstract]   [PDF Full-Text (1660 KB)]   **IEEE JNL**

---

1 2 Next

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help | FAQ| Terms | Back to Top

http://ieeexplore.ieee.org/search/searchresult.jsp?queryText=projection+image*+and+%28ct...   2/22/05

IEEE *Xplore*
RELEASE 1.8

Welcome
United States Patent and Trademark Office

» Se:

Help   FAQ   Terms   IEEE Peer Review   **Quick Links** ▾

Welcome to IEEE Xplore

○ Home
○ What Can
  I Access?
○ Log-out

Tables of Contents

○ Journals
  & Magazines
○ Conference
  Proceedings
○ Standards

Search

○ By Author
○ Basic
○ Advanced
○ CrossRef

Member Services

○ Join IEEE
○ Establish IEEE
  Web Account
○ Access the
  IEEE Member
  Digital Library

IEEE Enterprise

○ Access the
  IEEE Enterprise
  File Cabinet

🖶 Print Format

Your search matched **26** of **1128145** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:
You may refine your search by editing the current search expression or enteri
new one in the text box.

| projection image* and (ct or mri) | **Search**

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine   **CNF** = Conference   **STD** = Standard

---

16 **Sharpening of CT images by cubic interpolation using B-spline**
Numada, M.; Nomura, T.; Kamiya, K.; Koshimizu, H.; Tashiro, H.;
Pattern Recognition, 2004. ICPR 2004. Proceedings of the 17th International
Conference on , Volume: 4 , 23-26 Aug. 2004
Pages:701 - 704 Vol.4

[Abstract]   [PDF Full-Text (318 KB)]   **IEEE CNF**

---

17 **Effects of reconstruction voxelization in iterative X-ray CT reconstruction**
Zbijewski, W.; Beekman, F.J.;
Nuclear Science Symposium Conference Record, 2003 IEEE , Volume: 5 , 19-:
Oct. 2003
Pages:3205 - 3207 Vol.5

[Abstract]   [PDF Full-Text (459 KB)]   **IEEE CNF**

---

18 **Extension of the 4D NCAT phantom to dynamic X-ray CT simulation**
Segars, W.P.; Tsui, B.M.W.; Frey, E.C.; Fishman, E.K.;
Nuclear Science Symposium Conference Record, 2003 IEEE , Volume: 5 , 19-:
Oct. 2003
Pages:3195 - 3199 Vol.5

[Abstract]   [PDF Full-Text (545 KB)]   **IEEE CNF**

---

19 **Heavy ion CT reconstructed from range shift distribution measured 2D detection system**
*Nishimura, K.; Abe, S.; Satoh, H.; Inada, T.; Futami, Y.; Kanai, T.; Kawachi, i
Tazawa, S.; Kakeno, M.;*
Engineering in Medicine and Biology Society, 2000. Proceedings of the 22nd A

International Conference of the IEEE , Volume: 4 , 23-28 July 2000
Pages:2984 - 2986 vol.4

[Abstract]   [PDF Full-Text (172 KB)]   **IEEE CNF**

---

20 **Registration of planar film radiographs with computed tomography**
Gottesfeld Brown, L.M.; Boult, T.E.;
Mathematical Methods in Biomedical Image Analysis, 1996., Proceedings of th
Workshop on , 21-22 June 1996
Pages:42 - 51

[Abstract]   [PDF Full-Text (984 KB)]   **IEEE CNF**

---

21 **Modeling the respiratory motion of solitary pulmonary nodules for investigating SPECT tumor imaging**
*Smyczynski, M.S.; Segars, W.P.; Narayanan, M.V.; Pretorius, P.H.; Gifford, H.
Farncombe, T.H.; Hoffman, E.A.; Tsui, B.M.W.; King, M.A.;*
Nuclear Science Symposium Conference Record, 2001 IEEE , Volume: 3 , 4-1(
Nov. 2001
Pages:1371 - 1375 vol.3

[Abstract]   [PDF Full-Text (837 KB)]   **IEEE CNF**

---

22 **A method for the comparison of biomechanical breast models**
*Tanner, C.; Degenhard, A.; Schnabel, J.A.; Smith, A.C.; Hayes, C.; Sonoda, L
Leach, M.O.; Hose, D.R.; Hill, D.L.G.; Hawkes, D.J.;*
Mathematical Methods in Biomedical Image Analysis, 2001. MMBIA 2001. IEEI
Workshop on , 9-10 Dec. 2001
Pages:11 - 18

[Abstract]   [PDF Full-Text (1653 KB)]   **IEEE CNF**

---

23 **Human spine posture estimation from video images based on conn(vertebra spheres model**
Furukawa, D.; Mori, K.; Suenaga, Y.;
Computer Animation, 2001. The Fourteenth Conference on Computer Animati(
Proceedings , 7-8 Nov. 2001
Pages:174 - 181

[Abstract]   [PDF Full-Text (986 KB)]   **IEEE CNF**

---

24 **Image characteristics and effective dose estimation of cone beam (using video-fluoroscopic system**
*Endo, M.; Nishizawa, K.; Iwai, K.; Matsumoto, M.; Yoshida, K.; Satoh, K.;
Matsusita, M.; Kusakabe, M.;*
Nuclear Science Symposium, 1998. Conference Record. 1998 IEEE , Volume:
14 Nov. 1998
Pages:1856 - 1859 vol.3

[Abstract]   [PDF Full-Text (376 KB)]   **IEEE CNF**

---

25 **Frameless stereotactic localization and multimodal image registrati using DSA/CT/MRI**

Baowei Fei; Tiange Zhuang; Jie Hu; Fanmin Zhou;
Engineering in Medicine and Biology Society, 1998. Proceedings of the 20th Aı
International Conference of the IEEE , Volume: 2 , 29 Oct.-1 Nov. 1998
Pages:683 - 685 vol.2

[Abstract]   [PDF Full-Text (276 KB)]   **IEEE CNF**

26 A fast indirect backprojection algorithm
Shapiro, V.A.;
Image Processing, 1994. Proceedings. ICIP-94., IEEE International
Conference , Volume: 2 , 13-16 Nov. 1994
Pages:158 - 162 vol.2

[Abstract]   [PDF Full-Text (400 KB)]   **IEEE CNF**

Prev 1 2

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help | FAQ| Terms | Back to Top

♦ IEEE

Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore®
RELEASE 1.8

Welcome
United States Patent and Trademark Office

» Se:

Quick Links   ▼

Welcome to IEEE Xplore®

○ Home
○ What Can
   I Access?
○ Log-out

Tables of Contents

○ Journals
   & Magazines
○ Conference
   Proceedings
○ Standards

Search

○ By Author
○ Basic
○ Advanced
○ CrossRef

Member Services

○ Join IEEE
○ Establish IEEE
   Web Account
○ Access the
   IEEE Member
   Digital Library

IEEE Enterprise

○ Access the
   IEEE Enterprise
   File Cabinet

🖨 Print Format

Your search matched **3** of **1128145** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:
You may refine your search by editing the current search expression or enteri new one in the text box.

| projection image* and projection plane | **Search**

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine   **CNF** = Conference   **STD** = Standard

---

1 **The importance of ray pathlengths when measuring objects in maxil intensity projection images**
Schreiner, S.; Dawant, B.M.; Paschal, C.B.; Galloway, R.L.;
Medical Imaging, IEEE Transactions on , Volume: 15 , Issue: 4 , Aug. 1996
Pages:568 - 579

[Abstract]   [PDF Full-Text (1780 KB)]   **IEEE JNL**

2 **Accelerated image reconstruction for a cylindrical positron tomograj using Fourier domain methods**
Stearns, C.W.; Chesler, D.A.; Brownell, G.L.;
Nuclear Science, IEEE Transactions on , Volume: 37 , Issue: 2 , April 1990
Pages:773 - 777

[Abstract]   [PDF Full-Text (360 KB)]   **IEEE JNL**

3 **A fast maximum-intensity projection algorithm for generating magn resonance angiograms**
Schreiner, S.; Galloway, R.L., Jr.;
Medical Imaging, IEEE Transactions on , Volume: 12 , Issue: 1 , March 1993
Pages:50 - 57

[Abstract]   [PDF Full-Text (744 KB)]   **IEEE JNL**

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE

◈IEEE

Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore
RELEASE 1.8

Welcome
United States Patent and Trademark Office

» Se:

Help   FAQ   Terms   IEEE Peer Review   **Quick Links** ▼

Welcome to IEEE *Xplore*

○ Home
○ What Can
  I Access?
○ Log-out

Tables of Contents

○ Journals
  & Magazines
○ Conference
  Proceedings
○ Standards

Search

○ By Author
○ Basic
○ Advanced
○ CrossRef

Member Services

○ Join IEEE
○ Establish IEEE
  Web Account
○ Access the
  IEEE Member
  Digital Library

IEEE Enterprise

○ Access the
  IEEE Enterprise
  File Cabinet

🖨 Print Format

Your search matched **8** of **1128145** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:
You may refine your search by editing the current search expression or enteri new one in the text box.

| projection image*˙ and weight* | | Search |

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine   **CNF** = Conference   **STD** = Standard

---

1 **A filtering algorithm based on SPECT lesion detectability potential**
Kim, J.H.; Kim, K.I.;
Nuclear Science Symposium, 1997. IEEE , Volume: 2 , 9-15 Nov. 1997
Pages:1706 - 1710 vol.2

[Abstract]   [PDF Full-Text (776 KB)]   **IEEE CNF**

---

2 **Optimization of acquisition energy windows in simultaneous /sup 99m/Tc//sup 123/I brain SPECT**
Du, Y.; Frey, E.C.; Wang, W.T.; Tsui, B.M.W.;
Nuclear Science, IEEE Transactions on , Volume: 50 , Issue: 5 , Oct. 2003
Pages:1556 - 1561

[Abstract]   [PDF Full-Text (425 KB)]   **IEEE JNL**

---

3 **An artificial neural network for SPECT image reconstruction**
Floyd, C.E., Jr.;
Medical Imaging, IEEE Transactions on , Volume: 10 , Issue: 3 , Sept. 1991
Pages:485 - 487

[Abstract]   [PDF Full-Text (280 KB)]   **IEEE JNL**

---

4 **Quantitative Ga-67 SPECT imaging**
Moore, S.C.; El Fakhri, G.; Park, M.-A.; Kijewski, M.F.;
Nuclear Science Symposium Conference Record, 2003 IEEE , Volume: 4 , 19-:
Oct. 2003
Pages:2898 - 2900 Vol.4

[Abstract]   [PDF Full-Text (335 KB)]   **IEEE CNF**

---

5 Optimization of acquisition energy windows in simultaneous /sup 99m/Tc//sup 123/I brain SPECT
Du, Y.; Frey, E.C.; Wang, W.T.; Tsui, B.M.W.;
Nuclear Science Symposium Conference Record, 2002 IEEE , Volume: 2 , 10-:
Nov. 2002
Pages:1018 - 1022 vol.2

[Abstract]   [PDF Full-Text (1053 KB)]   IEEE CNF

---

6 Resolution recovery in ectomography using filtered backprojection
Persson, M.; Bone, D.; Meissinger, K.;
Nuclear Science Symposium, 1999. Conference Record. 1999 IEEE , Volume:
3 , 24-30 Oct. 1999
Pages:1450 - 1454 vol.3

[Abstract]   [PDF Full-Text (396 KB)]   IEEE CNF

---

7 Artificial neural networks for SPECT image reconstruction with optir weighted backprojection
Floyd, C.E., Jr.; Bowsher, J.E.; Munley, M.T.; Tourassi, G.D.; Garg, S.; Baydu. A.H.; Lo, J.Y.; Coleman, R.E.;
Nuclear Science Symposium and Medical Imaging Conference, 1991., Confere
Record of the 1991 IEEE , 2-9 Nov. 1991
Pages:2184 - 2188 vol.3

[Abstract]   [PDF Full-Text (316 KB)]   IEEE CNF

---

8 Optical neural chips
Lange, E.; Nitta, Y.; Kyuma, K.;
Micro, IEEE , Volume: 14 , Issue: 6 , Dec. 1994
Pages:29 - 41

[Abstract]   [PDF Full-Text (1572 KB)]   IEEE JNL

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help | FAQ| Terms | Back to Top